ROUTING AND RECORD SHEET						
SUBJECT: (Optional)	· · · · · · · · · · · · · · · · · · ·				
			· · · · · · · · · · · · · · · · · · ·			
FROM				EXTENSION	NO.	STAT
OL/NBPO 3E 40 Hqs					DATE 1 N ADD 400	STAT
TO: (Officer designa		DATE		17 APR 1984		
building)	·	RECEIVED	FORWARDED	OFFICER'S INITIALS	COMMENTS (Number each comment to show from whom to whom. Draw a line across column after each comment.)	
1.	<u>.*</u>	RECEIVED	- CANNADED			STAT
OTS/RMPS					l l	STAT
202 Soutl	1				Attached are some electrical questions which need to be answered	
				·	ASAP. I have highlighted the ones	
3.	· · · · · · · · · · · · · · · · · · ·				which pertain to OTS.	
				. ;	In designing the casework for your lab areas. SH&G is assuming	
4.					a 50/50 mix of drawers and cabi-	
· ;					nets. CID and SEU were the only ones needing locks on the casework.	
5.				:	To take less time, you can just	
					call me back with the answers.	
6.					Thanks,	STAT
	•	•				
7.				1		
8.				ί .	Att	
· · · · · · · · · · · · · · · · · · ·			Ĺ			
9. ` :				 		
						STAT
10.				,	:	
11.						
• • •				Į.		
12.						
				÷	,	
13.						
	:	v				٠
14.						
			[÷ •,
15.	:				<u>'</u>	
				•		
		1	<u> </u>			

Approved For Release 2009/03/23 : CIA-RDP89-00244R000801830007-0

GPO : 1983 0 - 411-632